

T. 2 N. R. 7 E. 2nd Mer.

T. 3 N. R. 7 E. 2nd Mer.

	377	378	378	379	379	380						
382	6	407	5	406	4	406	3	405	2	405	1	375
	402	403	403	404	404	405						
381	7	402	8	402	9	401	10	401	11	400	12	376
	398	398	399	399	400	400						
381	18	397	17	397	16	397	15	396	14	396	13	376
	393	394	394	395	395	395						
381	19	393	20	393	21	392	22	392	23	391	24	376
	389	389	389	389	389	389						
380	30	388	29	387	28	386	27	384	26	383	25	377
	388	388	386	385	384	383						
380	31	387	32	386	33	385	34	384	35	382	36	377
	374	373	373	373	373	373						
		374		374		375		375		375		375

³⁷⁴ ³⁷⁴ ³⁷⁵ ³⁷⁵
 The figures on the lines refer to the page.

373

Township N^o. 3 North, Range N^o. 7 E. 2^d. Mer. Ind.

South Boundary Sept. 25th 1806.

Met On Rand^m. S. boundary Sec. 36

24.00 a Brook 4 lks. wide Course S.

31.00 a Do 3 " " " S.E.

40.00 Set temp^y. gr. Sec. post

80.00 Set temp^y. Cor. to Sec^s. 35 & 36

Over level land timber Oak, Beech &c.

Met On Rand^m. S. boundary Sec. 35

40.00 Set temp^y. gr. Sec. post

40.50 a Creek 50 lks. wide Course N.

80.00 Set temp^y. Cor. to Sec^s. 34 & 35

Land level & rich timber Oak, Poplar, beech &c.

Met On Rand^m. S. boundary Sec. 34

10.00 a Brook 3 lks. wide Course N.W.

20.00 a Do. 5 " " " N.

40.00 Set temp^y. gr. Sec. post

75.00 a Brook 5 lks. wide Course N.

80.00 Set temp^y. gr. Sec. post.

Over level Beech land

Met On Rand^m. S. boundary of Sec. 33

15.00 a Brook 15 lks. wide Course N.

33.00 a Do. 3 " " " N.

40.00 Set temp^y. gr. Sec. post

66.50 a Brook 6 lks. wide Course N.

75.00 a Do. 3 lks. " " " N.E.

80.00 Set temp^y. Cor. to Sec^s. 32 & 33

Over level Beech land

Met On Rand^m. S. boundary of Sec. 32

40.00 Set temp^y. gr. Sec. post

63.00 a Creek 50 lks. wide Course N.E.

374

S 31 R 7 E. 2^d. Mer. Ind^a.ch. 2^d lks.

67.00 a Creek 50 lks. wide Course S.E.

71.00 do 50 lks. " " N.E.

80.00 Set temp^y. Cor. to Sec^s. 31 & 32

Level land timber Beech, Poplar &c.

West On Rand^m. S. boundary of Sec. 3140.00 Set temp^y. gr. Sec. post

83.00 Intersected the Range line 150 lks. North of the Corner. to Township 2 & 3 North Range 6 & 7 West - Good Oak land

Variation 5° 50' E

East On true line S. boundary of Sec. 31

41.50 Set gr. Sec. post on true line from which a Dogwood 6 in. diam. bear N 13° W 15 lks. dist. & a do. 6 " " " S 74° E 17 " "

83.00 Set post Cor. to Sec^s. 31 & 32, from which a Beech 30 in. diam. bear N 25° E 21 lks. dist. & a do. 12 " " " S 27° E 35 " "

East On true line S. boundary of Sec. 32

40.00 Set gr. Sec. post on true line, from which a Beech 16 in. diam. bear N 85° E 8 lks. dist. & a Poplar 33 " " " S 87° E 44 " "

80.00 Set post Cor. to Sec^s. 32 & 33, from which a Beech 18 in. diam. bear N 61° E 21 lks. dist. & a do. 15 " " " S 64° W 25 " "

East Connected on true line S. boundary of Sec 33

40.00 Set gr. Sec. post on true line, from which a Gum 15 in. diam. bear N 28° W 43 lks. dist. & a Beech 15 " " " S 39° E 48 " "

80.00 Set post Cor. to Sec^s. 33 & 34, from which a W. Oak 16 in. diam. bear S 67° E 16 lks. dist. &

T3N R7E.2nd Mer. Ind. 375

ch. lks.

a Beech 10 in. diam. - bear N 82 E 33 lks. dist. &

East On true line S. boundary of Sec. 34

40.00 Set gr. Sec. post, from which
a Beech 17 in. diam. - bear N 52 E 17 lks. dist. &
a Maple 8 " " " S 70 W 34 " "

80.00 Set post Cor. to Sec. 34 & 35, from which
a Beech 16 in. diam. - bear S 56 W 10 lks. dist. &
a P. Oak 24 " " " N 64 E 28 " "

East On true line S. boundary of Sec. 35

40.00 Set gr. Sec. post, from which
a Beech 18 in. diam. - bear North Nink dist. &
an Ash 14 " " " S 4 E 25 " "

80.00 Set post Cor. to Sec. 35 & 36, from which
a Beech 18 in. diam. - bear S 70 E 7 lks. dist. &
a Alo. 14 " " " N 82 E 23 " "

East On true line S. boundary of Sec. 36

40.00 Set gr. Sec. post, from which
a Beech 16 in. diam. - bear N 7 E 7 lks. dist. &
a P. Oak 30 " " " S 32 E 18 " "

80.00 to Town Corner.

East Boundary var. 5° 50' E.

September 21st 1866

South On E. boundary of Sec. 1. T3N. R7E.

17.00 a Brook 3 lks. wide Course W

31.50 a Alo 3 lks. " " W.

40.00 Set gr. Sec. post, from which
a Beech - in. diam. - bear N 89 E 18 lks. dist. &
a Hognut 8 " " " S 23 W 18 " "

80.00 Set post Cor. to Sec. 1 & 12, from which
a Beech 10 in. dia. - bear S 30 W 7 lks. dist. &

Ch. lks.

a W. Oak 30 in. diam. bray N10 E 36 lks. dist.
 Poor land timber Beech, Gum, Hogwood &c.

South On E. boundary of Sec. 12

40.00 Set gr. Sec. post, from which

a Gum 15 in. diam. bray N40 W 20 lks. dist. &

a Beech 16 " " " S44 E 37 " "

80.00 Set post Cor. to Sec. 12 & 13, from which

a W. Oak 14 in. diam. bray S55 E 20 lks. dist. &

a Do. 18 " " " N26 W 28 " "

Poor land, timber Gum, Oak, Hogwood &c.

South On E. boundary of Sec. 13

40.00 Set gr. Sec. post, from which

a Beech 24 in. diam. bray N12 E 18 lks. dist. &

a Do. 12 " " " S24 W 20 " "

80.00 Set post Cor. to Sec. 13 & 24, from which

a W. Oak 16 in. diam. bray S56 E 28 lks. dist. &

a B. Oak 24 " " " N30 W 39 " "

Poor brushy land, timber Beech, Hogwood &c.

South On E. boundary of Sec. 24

4.50 a Brook 3 lks. wide Course E.

40.00 Set gr. Sec. post, from which

a Beech 30 in. diam. bray S56 W 19 lks. dist. &

a Do. 12 " " " N50 E 18 " "

53.50 a Brook 30 lks. wide Course W.

57.21 a Beech 18 in. diam.

68.00 a Creek 50 lks. wide Course W.

78.00 a Do 40 " " " W.

80.00 Set post Cor. to Sec. 24 & 25, from which

a Elm 18 in. diam. bray N77 W 7 lks. dist. &

a Beech 14 " " " S37 E 41 " "

Met land timber Beech, Maple &c.

T3N R7E. 2^d Mer. Ind. 377

28.50 a Beech 24 in. diam.
 29.50 a Brook 20 lks. wide Course N.W.
 40.00 Set gr. Sec. post, from which
 a Gum 12 in. diam. bran S 19 E 22 lks. dist. &
 a Do. 14 " " " N 13 E 37 " "
 41.50 a Creek 3 lks. wide Course E.
 45.00 a Beech 12 in. diam.
 60.00 a Brook 3 lks. wide Course E.
 70.00 a Do 3 " " " E.
 80.00 Set post Cor. to Sec. 25 & 36, from which
 a Beech 12 in. diam. bran S 61 W 30 lks. dist. &
 a Poplar 30 " " " N 56 E 36 " "
 Generally Goodland, timber Beech, Oak, Poplar &c.

South On E. boundary of Sec. 36, T3N. R7E
 28.00 a Brook 3 lks. wide Course E.
 35.68 a P. Oak 24 in. diam.
 38.00 a Brook 3 lks. wide Course E.
 40.00 Set gr. Sec. post, from which
 a Beech 18 in. diam. bran S 43 W 25 lks. dist. &
 a Do. 17 " " " N 80 E 34 " "
 46.83 a Poplar 50 " " "
 80.00 Hill 50 lks. West & 75 lks. North of temporary
 post Moved it to Corner of Township
 2 & 3 North, Range 7 & 8 E, from which
 a W. Oak 36 in. diam. bran East 16 lks. dist. &
 a Gum 12 " " " N 44 W 46 " "
 First 1/2 mile uneven Oak, Beech, Poplar &c.
 last 1/2 mile level Beech land good Soil

North Boundary var. 5.50' E.
 East On S. boundary of Sec. 31, T4N. R7E.
 Over Beautiful Beech flat

ch. lky.

40.00 Set gr. Sec. post, from which
a W. Oak 12 in. diam. bey S 74 W 13 lky. dist. 5
a Beech 14 " " " N 14 E 27 " "

61.40 a Do. 15 " "

67.00 a Brook 3 lky. wide Course N.

80.00 Set post Cor. to Sec. 31 & 32, T4N R7E, from which
a Beech 16 in. diam. bey S 85 E 4 lky. dist. 5
a Do. 18 " " " S 5 W 14 " "
Level rich land, timber Beech, Poplar &c.

East On S. boundary of Sec. 32, T4N R7E.

21.00 a Brook 3 lky. wide Course S.

31.70 a W. Oak 24 in. diam.

34.00 a Brook 3 lky. wide Course S.

40.00 Set gr. Sec. post, from which
a Sugar 12 in. diam. bey S 26 W 19 lky. dist. 5
a Beech 18 " " " N 67 E 21 " "

41.00 a Brook 6 lky. wide Course S.W.

60.50 a Hickory 18 in. diam.

80.00 Set post Cor. to Sec. 32 & 33, T4N R7E, from which
a Beech 30 in. diam. bey S 23 W 6 lky. dist. 5
a Gum 6 " " " N 19 E 30 " "
Level rich land timber Beech, Sugar, Ash &c.

East On S. boundary of Sec. 33, T4N R7E.

40.00 Set gr. Sec. post, from which
a Beech 16 in. diam. bey N 37 W 18 lky. dist. 5
a Do. 10 " " " S 17 W 41 " "

Over rich level land, timber Beech, Ash, Sugar &c.

49.60 a Beech 28 in. diam.

50.00 a Brook 3 lky. wide Course S.

70.60 a Beech 12 in. diam.

75.00 a Brook 3 lky. wide Course S.

80.00 Set post Cor. to Sec. 33 & 34, T4N R7E, from which

T3N R7E. 2^d. Mer. Ind. 379

ch. lky.
a Beech 30 in. diam. bray S 23° W 38 lky. dist. 1/2
a Do. 16 " " " N 52° E 59 " "
Level rich land, timber Oak, Beech, Poplar &c.

East On S. boundary of Sec. 34, T4N. R7E.

2.00 a Brook 3 lky. wide Course S.W.

11.00 a Beech 13 in. diam.

30.00 a Brook 3 lky. wide Course S.E.

32.60 a Beech 10 in. diam.

36.50 a Brook 6 lky. wide Course S

40.00 Set gr. Sec. post, from which
an Ash 18 in. diam. bray S 38° W 10 lky. dist. 1/2
a Beech 20 " " " N 82° E 34 " "

46.00 a Brook 5 lky. wide Course S.

62.00 a Do. 5 lky. " " S.

80.00 Set post cor. to Sec. 34 & 35, T4N. R7E, from which
a Beech 15 in. diam. bray East 24 lky. dist. 1/2
a Do. 12 " " " N 42° W 47 " "

(Note - This Corner stands in a brook 15 lky.
wide running S.W.)

Land level rich, timber Oak, Beech, Sugar &c.

East On S. boundary of Sec. 35, T4N. R7E.

6.00 a Beech 16 in. diam.

30.00 a Gum 18 " "

40.00 Set gr. Sec. post, from which
a Beech 30 in. diam. bray N 62° W 24 lky. dist. 1/2
a Sugar 14 " " " S 49° W 41 " "

55.50 a Beech 24 " "

78.50 a Brook 6 lky. wide Course S.

80.00 Set post cor. to Sec. 35 & 36, T4N. R7E, from which
a Hickory 8 in. diam. bray N 27° E 15 lky. dist. 1/2
a Beech 10 " " " S 47° W 32 " "
Level rich land Beech, Oak, Poplar &c.

T3N R7E. 2^d. Mer. Indiana

Ch. Lk.

August 23^d. 1886

East On S. boundary of Sec. 36, T4N, R7E.

20.00 a Brook 6 lks. wide Course S. E.

40.00 Set gr. Sec. post, from which
a Hickory 12 in. diam. bray S 24 E 34 lks. dist. &
a Beech 12 " " " N 14 E 50 " "

75.00 a Brook 3 lks. wide Course S.

80.00 Set post Cor. to Township 4 & 3 North of
Range 7 & 8 East, from which
a Hickory 14 in. diam. bray S 82 W 15 lks. dist. &
a P. Oak 24 " " " S 68 E 30 " "
Level rich Oak land

West Boundary. var. 5° 50' E.

North On E. boundary of Sec. 36, T3N, R6E.

4.00 a brook 4 lks. wide Course N. E. kept down it crossing
11.00 leave the brook running N. E. [at several times]

23.50 a P. Oak 18 in. diam.

40.00 Set gr. Sec. post, from which
a W. Oak 36 in. diam. bray S 40 W 8 lks. dist. &
a Gum 7 " " " N 61 E 26 " "

57.50 a Poplar 40 " "

64.00 a Brook 15 lks. wide Course N. E.

80.00 Set post Cor. to Sec. 25 & 36, T3N, R6E, from which
a Beech 24 in. diam. bray S 52 E 16 lks. dist. &
a Hickory 8 " " " N 53 W 25 " "

Pretty good Oak land

North On E. boundary of Sec. 25, T3N, R6E.

5.50 a W. Oak 36 in. diam.

40.00 Set gr. Sec. post, from which
a Poplar 6 in. diam. bray S 70 E 13 lks. dist. &
a Beech 15 " " " N 10 E 16 " "

50.00 a Brook 6 lks. wide Course N. E.

381

T3N R7E. 2^d. Mer. Ind.

Ch. Lk.
 63.80 a Beech 16 in. diam.
 80.00 Set post Cor. to Sec. 24 & 25, from which
 a Gum 16 in. diam. bear S 91° 17' E 34' dist. 5
 a Beech 24 " " " N 71° E 34 " "
 Level poor land timber Oak, Beech &c.

North On E. boundary of Sec. 24, T3N. R6E.
 17.85 a R. Oak 24 in. diam.
 35.00 a Beech 16 " "
 40.00 Set gr. Sec. post, from which
 a Beech 20 in. diam. bear S 80° 15' E 29' dist. 5
 a Poplar 18 " " " N 75° E 29 " "
 57.00 a Brook 5 lks. wide Course N.E.
 61.00 a Beech 16 in. diam.
 80.00 Set post Cor. to Sec. 13 & 24, from which
 a Hickory 14 in. diam. bear N 61° 50' E 58' dist. 5
 a Beech 15 " " " S 30° E 58 " "
 Good level land timber Oak Poplar &c

August 21st. 1806

North On E. boundary of Sec. 13, T3N. R6E.
 17.50 a Brook 3 lks. wide Course N.E.
 33.80 a Beech 14 in. diam.
 40.00 Set gr. Sec. post, from which
 a Poplar 14 in. diam. bear N 59° 16' E 33' dist. 5
 a do. 16 " " " South 16 " "
 53.00 a Creek 30 lks. wide Course N.W.
 54.25 an Ash 30 in. diam.
 80.00 Set post Cor. to Sec. 12 & 13, from which
 an Ironwood 6 in. diam. bear N 61° 16' E 33' dist. 5
 a Beech 18 " " " N 71° E 33 " "
 Land with timber Beech, Elm & Poplar

North On E. boundary of Sec. 12, T3N. R6E.

382 T3 N. R7 E. 2^d. Mer. Indiana

Ch. lker.

34.00 an Elm 18 in. diam.

40.00 Set gr. Sec. post, from which
a Maple 12 in. diam. bran N 70 W 12 lks. dist.
a Do. 6 " " " S 81 E 30 " "

55.40 a Maple 12 " "

80.00 Set post cor. to Sec. 1 & 12, from which
a W. Oak 36 in. diam. bran S 10 E 4 lks. dist.
a Gum 12 " " " N 10 W 40 " "
all a Maple Swamp

North On E. boundary of Sec. 1, T3 N. R6 E.
46.00 to a large branch of White River - lks. wide NW
in the Maple Swamp

40.00 Set the gr. Sec. post, from which
an Elm 12 in. diam. bran N 76 W 12 lks. dist.
a W. Oak 12 " " " N 84 E 20 " "

50.00 quit the Swamp

59.00 a Brook 3 lks. wide Course W.

60.00 a W. Oak 16 in. diam.

80.00 Set post cor. to Township 35 & 4 North, of
Range 6 & 7 E. from which
a Beech 8 in. diam. bran N 42 W 11 lks. dist.
a Do. 12 " " " S 3 W 59 " "
Beautiful flat of Beech & Sugar tree land
Surveyed by

Alexander Holmes,
Deputy Surveyor

Subdivision. Jan. 13th 1807

North Between Sec. 35 & 36, T3 N. R7 E.

1.00 a Stream 4 lks. wide Course N 75 W

18.75 a W. Oak 18 in. diam. in the line

32.60 a Stream 5 lks. wide Course W.

40.00 Set gr. Sec. post, from which

S 3^d R 7 E. 2^d Mer. Indiana

383

Ch. lks.

- a dogwood 4 in diam. bray S 67 W 4 lks. dist. of
 a W. Oak 24 " " " N 48 W 30 " "
 Over rolling 2^d rate timber Oak & Beech
 57.00 a Stream 10 lks. wide Course W.
 60.30 a Beech 18 in. diam. in the line
 80.00 Set post Cor. to Sec. 25, 26, 35 & 36, from which
 a Hickory 20 in. diam. bray S 23 E 21 lks. dist. of
 a W. Oak 12 " " " N 75 W 16 " "
 Over rolling 2^d rate land Oak, Beech & Poplar.

East On Randm. between Sec. 25 & 36

- 40.00 Set temp. gr. Sec. post
 Level 2^d rate land Oak, Beech & Poplar
 78.50 Intersected the E. boundary 96 lks. N. of post
 Over level 2^d rate land, timber Beech, Oak,
 Hickory & Poplar, making the line

West Corrected between Sec. 25 & 36

- 39.25 Set gr. Sec. post at average dist. from which
 a P. Oak 15 in. diam. bray S 62 E 27 lks. dist. of
 a P. Gum 18 " " " N 48 W 7 " "
 78.50 to Sec. Corner.

North Between Sec. 25 & 26

- 20.15 a W. Oak 20 in. diam. in the line
 30.00 a Stream 4 lks. wide Course N.E.
 40.00 Set gr. Sec. post, from which
 a P. Oak 30 in. diam. bray S 43 E 23 lks. dist. of
 a P. Gum 10 " " " North 26 " "
 Over rolling 2^d rate timber Beech & Oak
 54.00 a Stream 5 lks. wide Course N.E.
 80.00 Set post Cor. to Sec. 23, 24, 25 & 26, from which
 a Beech 10 in. diam. bray S 10 E 20 lks. dist. of
 a Do. 36 " " " N 7 E 20 " "

ch. lhr.

Over rolling 2nd rate land, Poplar, Beech & OakNorth Between Secs. 34 & 35, T. 34th N. 127th E.

20.70 a Beech 20 in. diam. in the line

40.00 Set gp. Sec. post, from which

an Elm 8 in. diam. bears S 80° W 1/2 m. dist. &

a Beech 15 " " " East 19 " "

Over level 2nd rate land Beech, Oak & Hickory
timber thick undergth of briars.

60.00 a Stream 10 lhr. wide Course W.

70.25 a Do 20 " " " S. W.

80.00 Set post Cor. to Secs. 26 & 27, 34 & 35, from which

a Beech 12 in. diam. bears N 61° E 1/2 m. dist. &

a Do 40 " " " N 82° W 1/2 m. " "

Over low level 2nd rate land timber BeechEast On Rand^m between Secs. 26 & 35

5:50 a Brook 7 lhr. wide Course S.

40.00 Set temp^y. gp. Sec. postOver rolling 2nd rate land Beech, Oak and
Poplar timber

50.60 a Stream 5 lhr. wide Course S. W.

79.40 Intersected the N & S line 80 lhr. N. of post
Over 2nd rate land Beech & Oak timber

West Corrected between Secs. 26 & 35

39.70 Set gp. Sec. post at average dist. from which
a Beech 18 in. diam. bears S 71° W 1/2 m. dist. &

a Do. 18 " " " N 28° E 2/3 " "

79.40 to Sec. Corner.

North Between Secs. 26 & 27

9.00 a water Course 5 lhr. wide S. W.

23.50 a Beech 20 in. diam.

T 3 N R 7 E. 2^d. Mer. Indiana

Ch. Pk.

- 40.00 Let q^r. Sec. post. from which
 a B. Gum 24 in. diam. bear N 85 E 9 lks. dist. &
 a Beech 5 " " " S 27 W 16 " "
 Over 1st. rate land, timber Beech & Poplar
 76.15 a W. Oak 30 in. diam. in the line
 80.00 Let post Cor. to Sec. 22, 23, 26 & 27, from which
 a Beech 6 in. diam. bear S 77 E 8 lks. dist. &
 a Do. 12 " " " S 67 W 10 " "
 Over level 1st. rate land, timber Beech, Oak
 and Poplar. Jan. 13th 1877

North Between Sec. 33 & 34

- 5.00 a Stream 6 lks. wide Course N.W.
 35.20 a Beech 20 in. diam.
 40.00 Let q^r. Sec. post. from which
 a W. Oak 30 in. diam. bear S 9 E 46 lks. dist. &
 a Poplar 36 " " " N 17 W 47 " "
 66.60 a Beech 18 " "
 67.75 a Stream 6 lks. wide Course N 15 E.
 80.00 Let post Cor. to Sec. 27, 28, 33 & 34, from which
 a Beech 20 in. diam. bear S 25 E 20 lks. dist. &
 a do. 12 " " " N 37 W 22 " "
 Over level 2^d. rate land, timber Beech & Oak

East On Rand^m. between Sec. 27 & 34

- 1.60 a water Course 6 lks. wide Course N 15 E
 40.00 Let Hump^d. q^r. Sec. post. part over low, wet,
 level 2^d. rate land, timber Oak, Beech, Ash &c.
 44.50 a Creek 45 lks. wide Course N.
 79.50 Intersected the N & S line 45 lks. N. of post
 Over low wet 2^d. rate land, timb. Beech & Oak

Mist Corrected between Sec. 27 & 34

- 39.75 Let q^r. Sec. post at average dist. from which

T3 N. R7 E. 2^d Mer. Indiana

ch. l. l. l.

a Beech 5 in. diam. - bray N45 E 2 l. l. dist. 7
 a Do. 24 " " " S70 W 22 " "
 79.50 to Sec. Corner.

North Between Secs. 27 & 28, T3 N. R7 E.

2.50 a Brook 4 l. l. wide Course E.

38.50 a Creek 50 " " " N. W.

40.00 Set q. Sec. post, from which

a Beech 18 in. diam. - bray N57 E 20 l. l. dist. 7

a B. Gum 18 " " " S42 W 6 " "

Over flat wetland 2^d rate timber Oak, Elm
and Sugar tree

75.50 a Creek 50 l. l. wide Course N. E.

80.00 Set post Cor. to Secs. 21, 22, 27 & 28, from which

a Beech 20 in. diam. - bray N87 W 3 l. l. dist. 7

a W. Oak 12 " " " N69 E 23 " "

Over low level 2^d rate land, timber Beech & Oak

North Between Secs. 32 & 33

16.00 a Poplar 36 in. diam. in the line

28.00 a Brook 6 l. l. wide Course E.

40.00 Set q. Sec. post, from which

a Beech 4 in. diam. - bray N46 E 15 l. l. dist. 7

a Do 8 " " " S69 W 15 " "

Over level 1st rate land, Beech, Oak & Poplar

56.10 a Beech 24 in. diam. in the line

70.50 a Creek 18 l. l. wide Course N10 E.

80.00 Set post Cor. to Secs. 28, 29, 32 & 33, from which

a Beech 12 in. diam. - bray S12 E. 32 l. l. dist. 7

a Do. 15 " " " N87 W 20 " "

Over level 2^d rate land, timber Beech & OakEast On Rand^m between Secs. 28 & 33

2.25 a Creek 50 l. l. wide Course N12 E.

387

S. A. Ry E. I. Mer. Indiana

ch. lkr.
 40.00 Set temp. of Sec. post
 78.50 intersected the N & S. line 15 lkr. N. of post
 Over level 1st rate land - timber Locust & Poplar

West Connected between Sec. 28 & 33
 39.25 Set of Sec. post at average dist. from which
 a Dogwood 6 in. diam. bear S 10 E 8 lkr. dist. of
 a Beech 5 " " " S 45 E 10 " "
 78.50 to Sec. Corner.

North Between Sec. 28 & 29
 20.00 a Creek 50 lkr. wide Course N 30 E.
 38.00 a W. Oak 24 in. diam. in the line
 40.00 Set of Sec. post, from which
 a W. Oak 24 in. diam. bear S 58 E 23 lkr. dist. of
 a B. Gum 6 " " " S 77 W 24 " "
 Over level 2nd rate land timber Beech & Oak
 62.00 a Beech 30 in. diam. in the line
 78.00 a Creek 50 lkr. wide Course N. W.
 80.00 Set post Cor. to Sec. 20, 21, 28 & 29, from which
 a Beech 15 in. diam. bear N 47 E 2 lkr. dist. of
 a W. Oak 12 " " " N 22 W 35 " "
 Over level 2nd rate land, Beech, & Oak
 timber Jan. 14th 1877

North Between Sec. 31 & 32
 6.55 a Gum 24 in. diam. in the line
 40.00 Set the of Sec. post, from which
 a Gum 8 in. diam. bear N 50 W 21 lkr. dist. of
 a Dogw. 4 " " " S 57 W 19 " "
 56.00 a Beech 18 " " in the line
 57.25 a Brook 10 lkr. wide Course N. E.
 80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which
 a Beech 5 in. diam. bear N 36 W 14 lkr. dist. of

S. N. R. & E. 2^d. Mer. Indiana

Ch. Lk.

a Gum 10 in. diam. beam S 11 W 14 lks. dist. of
Over flat level 3^d. rate land timber Beech,
Oak & Hickory

East On Rand^m. between Sec. 29 & 32

40.00 Set temp. gr. Sec. post

73.00 a Creek 50 lks. wide Corner N. E.

80.00 Intersected the N & S. line 6 lks. S. of post
Over flat level 3^d. rate land, timber Beech
Oak &c. underg^d. Prier. Aug. 15th 1807

West Corrected between Sec. 29 & 32

40.00 Set gr. Sec. post at average dist. from which
a B. Gum 20 in. diam. beam N 55 W 15 lks. dist. of
a W. Oak 24 " " " S 34 E 8 " "

80.00 to Sec. Corner.

West Between Sec. 30 & 31

40.00 Set gr. Sec. post, from which

a Dogwood 5 in. diam. beam S 14 W 18 lks. dist. of

a Do. 5 " " " N 39 W 9 " "

Over low wetland thinly timbered with W. Oak
& Beech, underg^d. Prier

60.00 a Brook 15 lks. wide Corner N. E.

80.75 Intersected the W. Boundary 180 lks. N. of post

Set post Cor. to Sec. 30 & 31, from which

a Beech 30 in. diam. beam N 30 W 7 lks. dist. of

a Hickory 4 " " " N 36 E 17 " "

Over level 3^d. rate land, timber Oak &c.

North Between Sec. 29 & 30

6.56 a Beech 18 in. diam. in the line

40.00 Set gr. Sec. post from which

a Maple 15 in. diam. beam S 8 E 47 lks. dist. of

389

T3N R7E.2.nd Mer. Indiana

ch. lks.

- a W. Oak 6 in. diam. bray N82W 37 lks. dist. of
Over low level 3rd rate land, timber Oak &
Beech, undergth of Brier.
- 65.15 a Beech 20 in. diam. in the line
80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which
a Beech 24 in. diam. bray S73E 35 lks. dist. of
a Do 12 " " " N72W 19 " "
Over level 2nd rate land, timber Beech, Oak,
& Poplar, undergth of Brier.

- West Between Sec. 19 & 30, T3N, R7E.
6.00 a Brook 15 lks. wide Course N. E.
40.00 Set gr. Sec. post, from which
an Elm 18 in. diam. bray S38E 30 lks. dist. of
a Beech 8 " " " West 14 " "
Over low level 3rd rate land, timber Beech,
Aichory & Maple, thick undergth of Brier
- 58.80 a Brook 12 lks. wide Course N.
73.45 a Beech 18 in. diam. in the line
80.60 Intersected W. boundary 2.10 lks. N. of post
Set post Cor. to Sec. 19 & 30, from which
a Beech 5 in. diam. bray N77E 18 lks. dist. of
a Gum 8 " " " S88W 9 "
Over level 2nd rate land Beech & Poplar timb.

- East On Rand. Between Sec. 20 & 29
40.00 Set temp. gr. Sec. post
Over low level 2nd rate land, Beech, Oak & Poplar
80.25 Intersected the N & S. line at the post
Over low level 2nd rate land Beech, Oak & Poplar

- West Corrected between Sec. 20 & 29
40.12 Set gr. Sec. post at average dist. from which
a Beech 5 in. diam. bray N82W 25 lks. dist. of

390 T 3 N. R 7 E. 2nd Mer. Ind.^a
ch. lks

an Ironwood 6 in. diam. bears N 75 E 18 lks. dist. to
80.25 to Sec. Corner

East On Rand^m. between Sec. 21 & 28

10.50 a Brook 20 lks. wide Course N.

40.00 Set temp^y. q^r. Sec. post. Over level 2nd rate
land, timber Beech, Oak & Poplar

60.50 a Creek 20 lks. wide Course N.

78.60 Intersected the N & S. line 120 lks. N. of post
Over low flat land, Beech & Oak timber

West Corrected between Sec. 21 & 28

39.30 Set q^r. Sec. post at average dist. from which
a Beech 12 in. diam. bears S 20 W 13 lks. dist. &

a Do. 8 " " " N 22 E 8 " "

78.60 to Sec. Corner. Jan^y. 16th. 1807

East On Rand^m. between Sec. 22 & 27

3.50 a Creek 35 lks. wide Course N

40.00 Set temp^y. q^r. Sec. post. Over level 1st. rate land
Poplar and Beech timber

45.40 a Brook 8 lks wide Course N.

79.50 Intersected the N. & S. line 30 lks. N. of post
Over 1st. rate land Beech and Poplar timber

West Corrected between Sec. 22 & 27

39.90 Set q^r. Sec. post. at average dist. from which
a Sugar 15 in. dia^r. bears N 10 W 15 lks. dist. &
a Poplar 40 " " " South 7 " "

79.80 to Section Corner

East On Random between Sec. 23 & 26.

5.50 a Brook 6 lks. wide Course N. W.

40.00 Set temp^y. q^r. Sec. post. Over level 1st. rate land Beech

Ch. lks.

and Poplar timber, Spice undergrowth—

50.75 a Beech 6 lks. wide course N. 20 W.

79.00 Intersected the N. & S. line 40 lks. N. of post Over level
1st. rate land Beech Oak. Poplar timber Spice undgt.

West Corrected between Sec. 23, 26.

39.50 Set q. Sec. post, at average dist. from which
a Beech 8 in. dia. bears S 13 E 27. lks. dist. &
a B. Oak 15 " " " N 15 W 14 " "

79.00 to Sec. Corner

East On Random between Sec. 24 & 25.

33.60 a Brook 8 lks. wide Course N.

40.00 Set temp. q. Sec. post, Over 1st. rate land Beech Oak
and Poplar timber, Spice undergrowth

57.50 a Beech 10 lks. wide Course N. W.

79.10 Intersected the East Boundary 1.00 lks. N. of post
Over low flat level land 2nd. rate—Beech Hickory
and Maple timber—

West Corrected between Sec. 24 & 25.

39.55 Set q. Sec. post. at average dist. from which
a Beech 4 in. dia. bears S 77 W 20 lks. dist. &
a Do. 8 " " " S 3 W 24 " "

79.10 to Sec. Corner

North Between Sec. 23 & 24

1.80 an Ash 18 in. dia. in. the line

40.00 Set q. Sec. post, from which

a Beech 8 in. dia. bears N 73 E 15. lks. dist. &

a Do. 10 " " " S 85 W 25 " "

50.25 a Creek 55 lks. wide Course N. W.

70.00 a Branch 12 " " " W.

80.00 Set a post Cor. to Sec. 13, 14, 23 & 24, from which

Ch^e. l^{ks}.a Beech 10 in. dia. bears N 57 E 29 l^{ks}. dist. 4

a Do. 24 " " " S 48 W 5 " "

Over low wet level 3^d rate land Beech Oak Hick^y.
and Maple timber—North Between Sec^s. 22 & 23.3. 85 a Brook 4 l^{ks}. wide Course W.

9. 35 a Gum 20 in. dia. in the line

40. 00 Set q^r. Sec. post, from whicha Beech 8 in. dia. bears S 17 W 10 l^{ks}. dist. 4

a Do. 10 " " " N 7 E 20 " "

40. 10 a Brook 5 l^{ks}. wide Course N. W.

59. 30 a Beech 18 in. dia. in the line

70. 00 a Creek 50 l^{ks}. wide Course W.80. 00 Set a post Cor to Sec^s. 14, 15, 22 & 23. from whicha Beech 12 in. dia. bears S 50 W 20 l^{ks}. dist. 4

a Do. 12 " " " N 52 E 14 " "

First part Over level 2^d rate land Beech Oak
and poplar timber— last half Over low flat land
Beech Elms Oak timber—North Between Sec^s. 21 & 22.20. 00 a Creek 30 l^{ks}. wide Course N. W.

21. 80 a B. Oak 20 in. dia. in the line

40. 00 Set q^r. Sec. post. from whicha Beech 20 in. dia. bears S 13 E 12 l^{ks}. dist. 4

a Do. 24 " " " N 17 W 14 " "

this Over low flat 3^d rate land Beech, Oak, & Elms—

43. 85 a Poplar 30 in. dia. in the line

65. 25 a Creek 50 l^{ks}. wide Course W.80. 00 Set a post Cor. to Sec^s. 15, 16, 21 & 22. from which:a Beech 15 in. dia. bears S 54 E 17 l^{ks}. dist. 4

a Do. 5 " " " N 43 W 19 " "

this over flat level 3^d rate land Beech, Oak, Elms—

393

T3 N - R7 E. 2nd Mer. Indiana

ch. lks.

And Poplar timber— January 17th 1807.

North Between Secs. 20 & 21.
 37.50 a Brook 25 lks. wide Course N. W.
 40.00 Set of Sec. post, from which
 a Beech 6 in. dia. bears S 76 E 33 lks. dist. &
 a Do. 18 " " " S 50 W 37 " "
 this over low flat land Beech and Oak timber
 71.35 an Elm 15 in. dia. in the line
 80.00 Set a post Cor. to Secs. 16, 17, 20 & 21, from which
 a Beech 12 in. dia. bears N 36 E 9 lks. dist. &
 a Do. 15 " " " S 81 W 31 " "
 Over low flat 3rd rate land Beech Oak and Elm—

North Between Secs. 19 & 20.
 6.00 a Brook 6 lks. wide Course N. E.
 26.40 a W. Oak 24 in. dia. in the line
 40.00 Set of Sec. post, from which
 a Beech 8 in. dia. bears N. 42 W 7 lks. dist. &
 a Do. 18 " " " S 9 E 18 " "
 Over flat level land 2nd rate, Beech, Oak & Poplar
 70.15 a Beech 18 in. diam. in the line
 80.00 Set post Cor. to Secs. 17, 18, 19 & 20, from which
 an Elm 5 in. diam. bears N 84 E 5 lks. dist. &
 a Beech 15 " " " S 13 W 16 " "
 Over level 2nd rate land Beech Oak & Poplar

West Between Secs. 18 & 19
 12.50 a Brook 6 lks. wide Course N. E.
 33.30 a Beech 15 in. diam. in the line
 40.00 Set of Sec. post, from which
 a Beech 18 in. diam. bears S 31 W 21 lks. dist. &
 a Do. 15 " " " N 72 E 23 " "
 Over level 2nd rate land, Beech, Oak & Poplar

T3 N. R7 E. 2nd, Mer. Indiana

ch. lks

59.00 a Brook 10 lks. wide Course N.

80.40 Intersected N. boundary 345 lks. N. of post
 Set post Cor. to Sec. 18 & 19, from which
 a Beech 10 in. diam. bears S 85° W 3 lks. dist. &
 a Poplar 50 " " " S 53° E 45 " "
 Over level 2nd rate land, Beech, Oak & Poplar
 undergth Prier

East On Rand^m between Sec. 17 & 2040.00 Set temp^y. g^r. Sec. post

Over level 2nd rate land, Beech Oak & Poplar
 41.30 a Creek 15 lks. wide Course N. E.

71.50 a Do. 30 " " " N.

80.00 Intersected the N. & S. line 50 lks. S. of post, Over
 flat level 3rd rate land Oak Beech, Maple, Elm.

West Corrected between Sec. 17 & 20.

40.80 Set g^r. Sec. post, at average dist. from which
 a Sassafras 5 in. dia. bears S 73° W 10 lks. dist. &
 a Beech 8 " " " S 65° E 29 " "

80.60 to Section Corner.

East On Random between Sec. 16 & 21.

19.50 a Creek 60 lks. wide Course N. 65° W.

40.00 Set temp^y. g^r. Sec. post. Over low flat 3rd rate land
 Beech Oak Maple and Elm timber—

79.30 Intersected the N. & S. line 20 lks. S. of post, Over
 low flat 3rd rate land Beech, Oak, Hickory, Elm,

West Corrected between Sec. 16 & 21.

39.65 Set g^r. Sec. post, at average dist. from which
 a Beech 6 in. dia. bears S 14° W 24 lks. dist. &
 a W. Oak 18 " " " N 27° E 19 " "

79.30 to Section Corner

S 3^d N R 7 E 2^d Mer. Ind^a 395

Ch. P. lks.

East On Random between Sec. 15 & 22.

23.50 a Brook 8 lks. wide Course S.

40.00 Set temp. q. Sec. post.

42.50 a Creek 50 lks. wide Course S. W.

79.90 Intersected the N. & S. line. 51 lks. N. of post,
Over low flat 3^d rate land Beech, Oak, Elm, Poplar.

West On true line between Sec. 15 & 22

39.95 Set q. Sec. post at average dist. from which
a Beech 20 in. diam. bear N 9 W 18 lks. dist. of
a Do 18 " " " S 19 E 32 " "

79.90 to Sec. Corner.

East On Rand^m between Sec. 14 & 23

30.00 a Creek 50 lks. wide Course N. W.

40.00 Set temp. q. Sec. post

Over low flat 3^d rate land, Beech, maple & Elm

73.00 a Brook 16 lks. wide Course N. W.

80.20 Intersected the N & S. line 80 lks. N. of post
Over low flat 3^d rate land, Beech, Oak & maple

West On true line between Sec. 14 & 23

40.10 Set q. Sec. post, at avg. dist. from which
a Beech 10 in. diam. bear N 8 W 25 lks. dist. of
a Do. 8 " " " S 74 E 15 " "

80.20 to Sec. Corner

East On Rand^m between Sec. 13 & 24

16.50 a Brook 5 lks. wide Course S.

38.25 a Do 8 " " " S. W

40.00 Set temp. q. Sec. post

Over flat 3^d rate land timber Beech
Oak, Maple & Elm.

Ch. lly.

West On true line Between Sec. 13 & 24

39.70 Let gr. Sec. post, at average dist. from which
 a Beech 10 in. diam. bear S 59 W 17 lks. dist. of
 a Do 12 " " " N 70 E 15 " "
 79.40 to Sec. Corner.

North Between Sec. 13 & 14

21.65 a Poplar 60 in. diam. in the line

23.00 a Stream 6 lks. wide Course N. W.

36.10 a Do 5 " " " West

40.00 Let gr. Sec. post, from which
 a Beech 8 in. diam. bear S 14 E 18 lks. dist. of
 a Do. 6 " " " N 59 W 13 " "

Over rough broken 3rd rate land timber
 Beech & Poplar

62.00 a Gum 18 in. diam.

80.00 Let post Cor. to Sec. 11, 12, 13 & 14, from which
 a Beech 20 in. diam. bear S 3 E 26 lks. dist. of
 a Do 15 " " " N 80 W 19 " "
 Over level 2nd rate land, timber Beech
 Gum & Poplar, thick undg.th young
 Dogwood & greenbrier

North Between Sec. 14 & 15

2.00 a Sycamore 100 in. diam. in the line

15.00 a Creek 50 lks. wide Course W.

30.75 a Brook 15 " " " S. W.

40.00 Let gr. Sec. ^{post} from which
 a Maple 18 in. diam. bear S 40 E 16 lks. dist. of
 a W. Oak 15 " " " N 55 W 35 " "
 Over low flat land 3rd rate beech, maple, Oak
 and Elm timber

80.00 Let post Cor. to Sec. 10, 11, 14 & 15, from which
 a Hickory 24 in. diam. bear South lks. dist. of

S 3 N R 7 E. 2^d. Mer. Ind. 397

Ch. Lk.

a Beech 8 in. diam. bray N 61 E 21 lrs. dist. of
Over rolling 2^d. rate, Beech, Oak, Hickory
undergth. Spruce & Greenbrier

North Between Sec. 15 & 16

30.65 a Beech 20 in. diam. in the line

40.00 Set of. Sec. post, from which

a Beech 12 in. diam. bray S 74 E 9 lrs. dist. of

a Do. 24 " " " N 74 W 18 "

Over level 2^d. rate land, timber Beech &

Poplar, undergth. Spruce & Greenbrier

63.50 a Beech 12 in. diam. in the line

75.50 a Stream 5 lrs. wide Course W.

80.00 Set post, Cor. to Sec. 9, 10, 15 & 16, from which

a Beech 8 in. diam. bray N 78 E 6 lrs. dist. of

a Do. 6 " " " S 40 W 18 " "

Over level 1st. rate land, timber Beech, Oak

& Poplar undergth. Spruce. Jan. 19. 1807

North Between Sec. 16 & 17

7.50 a Creek 50 lrs. wide Course N 65 W

32.95 a Poplar 18 in. diam. in the line

40.00 Set of. Sec. post, from which

a Beech 8 in. diam. bray S 75 E 15 lrs. dist. of

a Do. 10 " " " N 64 W 15 " "

Over low flat 3^d. rate land, Beech, Oak, & maple

64.90 an Elm 15 in. diam. in the line

77.55 a Stream 10 lrs. wide Course N. W.

80.00 Set post cor. to Sec. 8, 9, 16 & 17, from which

a Maple 20 in. diam. bray N 16 W 15 lrs. dist. of

a Do. 6 " " " S 34 E 19 " "

Over low flat 3^d. rate land timber Elm & maple

North Between Sec. 17 & 18, S 3 N R 7 E.

Ch. Lk.

- 8.50 a Stream 10 lks. wide Course N. E.
 40.00 Set gr. Sec. post, from which
 a Beech 18 in. diam. bey S 62° W 6 lks. dist. of
 a Do. 5 " " " N 22° E 12 "
 Over level 2^d rate land, timber Beech & Poplar
 64.85 a W. Oak 40 in. diam. in the line
 77.00 a Creek 65 lks. wide Course S 75° W.
 80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which
 a Beech 20 in. diam. bey S 54° E 21 lks. dist. of
 a Do. 5 " " " " N 87° W 6 " "
 Over low flat 3^d rate land, timber Beech,
 Oak, Maple & Elm.

West Between Sec. 7 & 18

- 7.00 a Creek 65 lks. wide Course N. W.
 40.00 Set gr. Sec. post, from which
 a Beech 18 in. diam. bey N 56° W 12 lks. dist. of
 a Do. 6 " " " " S 32° E 6 " "
 Over low flat 3^d rate land, timber Beech,
 Oak, Maple & Elm.
 45.35 a Beech 12 in. diam. in the line
 80.00 Intersected the N. Boundary 350 lks. N.
 of post Set post Cor. to Sec. 7 & 18 from
 which a Beech 10 in. diam. bey N 31° W 31 lks. dist. of
 a Do. 18 " " " " S 52° E 15 " "
 Over level 2^d rate land, timber Oak, Beech
 & Poplar, undergth Spice & Green briar

East On Rand^m between Sec. 8 & 17

- 2.25 a Creek 65 lks. wide Course S. W.
 14.00 a Do 75 " " " " N.
 39.00 a Brook 10 " " " " South
 40.00 Set imp^d gr. Sec. post
 55.50 a Brook 8 lks. wide Course S. W.

S. N. W. E. 2^d. Mer. Indiana 399

ch. lks.
80.50 Intersected the N & S. line 60 lks. S. of post
Over low flat 3^d rate land, timber Beech
Oak, Maple & Elm.

West On true line between Sec. 8 & 17
40.25 Set q. Sec. post at average dist. from which
a Beech 12 in. diam. bear N 5 E 2 lks. dist. of
a Elm 15 " " " S 20 E 10 " "
80.50 to Sec. Corner.

East On Rand^m. between Sec. 9 & 10
40.00 Set temp. q. Sec. post
Over low flat 3^d rate land timber Maple
Oak & Elm
79.65 Intersected the N & S. line 16 lks. N. of post
Over level 2^d rate land timber Beech,
& Maple, undg^m. Spruce. Jan. 20. 1807

West Corrected between Sec. 9 & 16
39.87 Set q. Sec. post at average dist. from which
an Elm 12 in. diam. bear S 70 W 23 lks. dist. of
a Beech 15 " " " S 79 E 26 " "
79.65 to Sec. Corner.

East On Rand^m. between Sec. 10 & 15
40.00 Set temp. q. Sec. post
Over level 3^d rate land, timber Beech, Oak
and Poplar, undg^m. Spruce & Green briar
80.25 Intersected the N & S. line 65 lks. N. of post
Over level 2^d rate land, timber Beech, Oak
Poplar & Hickory

West Corrected between Sec. 10 & 15
40.12 Set q. Sec. post at average dist. from which

T3N R7E. 2^d Mer. Ind^a

Ch. Lk.

a Beech 12 in. diam. bray N64W 28 lks. dist. 1/2
 a 'Ho 20 " " " S 81 E 27 " "
 80.25 to Sec. Cor. Jan'y. 21st 1807

East On Rand^m. between Sec. 11 & 14

40.00 Set of Sec. post temporarily
 Over level 2^d rate land, timber Beech & Poplar
 thick underg^m. of Spruce & Greenbrier
 79.76 Intersected the N & S. line 50 lks. N. of post
 Over level 2^d rate land timber Beech & Oak
 thick undergrowth

West Connected between Sec. 11 & 14

39.88 Set of Sec. post at average dist. from which
 a Beech 24 in. diam. bray N64E 47 lks. dist. 1/2
 a 'Ho. 15 " " " S 66 W 27 " "
 79.76 to Sec. Corner

East On Rand^m. between Sec. 12 & 13

35.00 a Stream 5 lks. wide Course S.
 40.00 Set temp. of Sec. post. Over level 2^d rate
 land timber Beech, Oak & Hickory
 66.60 a Stream 5 lks. wide Course S.
 79.20 Intersected the E. boundary 145 lks. N. of post
 Over level 2^d rate land, timber Beech, Oak
 & Poplar, thick underg^m. of Spruce & Greenbrier

West Connected between Sec. 12 & 13

39.60 Set of Sec. post at average dist. from which
 a Beech 18 in. diam bray N42W 23 lks. dist. 1/2
 a W. Oak 18 " " " S 57 E 3 " "
 79.20 to Sec. Corner

North Between Sec. 11 & 12, T3N R7E.

S. N. R. & C. D. Mer. Indiana 401

Ch. lks.

- 18.30 a Beech 15 in. diam. in the line
 38.00 a Stream 5 lks. wide Course S.W.
 40.00 Set q. Sec. post, from which
 a Maple 15 in. diam. bran N60W 27 lks. dist. of
 a Beech 12 " " " S83E 16 " "
 Over level 2nd rate land, Beech, Oak & Poplar
 55.00 a Stream 10 lks. wide Course W.
 76.25 a Creek 15 " " " W.
 78.30 a Brook 12 " " " S.W.
 80.00 Set post Cor. to Sec. 1, 2, 11 & 12, from which
 a Beech 6 in. diam. bran S40W 3 lks. dist. of
 a Do. 5 " " " N22E 17 " "
 Over level 2nd rate land, Beech, Oak & Poplar

North Between Sec. 10 & 11

- 40.00 Set q. Sec. post, from which
 an Ash 24 in. diam. bran East 3 lks. dist. of
 a Beech 6 " " " N80W 17 " "
 Over level 1st rate land, timber Beech, Ash
 & Poplar, thick undg^g. of Spruce & Greenbrier
 54.10 a Beech 18 in. diam. in the line
 55.50 a Stream 10 lks. wide Course S.W.
 57.60 a Brook 20 " " " W.
 80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which
 a Sugar 12 in. diam. bran N24E 26 lks. dist. of
 a Beech 12 " " " South 32 " "
 Over level 2nd rate land, Beech, Oak & Poplar

North Between Sec. 9 & 10

- 10.00 a Stream 7 lks. wide Course W.
 30.70 Beech 30 in. diam. in the line
 36.50 a Brook 15 lks. wide Course W.
 40.00 Set q. Sec. post, from which
 a W. Oak 15 in. diam. bran N34W 22 lks. dist. of

T3N R7E 2^d. Mer. Indiana

Ch. Lk.

- a Beech 8 in. diam. bray S40 E 12 lks. dist. of
 Over level 2^d. rate land Oak, Beech & Poplar
 47.00 a Brook 20 lks. wide Course W.
 49.64 a W. Oak 50 in. diam. in the line
 80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which
 a Beech 8 in. diam. bray N27 E 22 lks. dist. of
 a Do. 5 " " " S44 W 12 " "
 Over level 2^d. rate land Oak, Beech & Poplar

North Between Sec. 8 & 9, T3N R7E.

- 13.35 a Beech 36 in. diam. in the line
 40.00 Set gr. Sec. post, from which
 a Beech 18 in. diam. bray N82 E 5 lks. dist. of
 a Do. 4 " " " S28 W 7 " "
 Over level 2^d. rate land Beech, Oak & Poplar
 75.00 a Beech 20 in. diam. in the line
 80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
 a Beech 15 in. diam. bray S37 W 20 lks. dist. of
 an Ash 15 " " " North 4 " "
 Over level 2^d. rate land Beech, Oak, Ash & Poplar

North Between Sec. 7 & 8

- 40.00 Set gr. Sec. post, from which
 a Beech 6 in. diam. bray N31 W 17 lks. dist. of
 a W. Oak 36 " " " S14 E 14 " "
 Over level flat 2^d. rate land, Beech, Oak & Poplar
 56.90 a W. Oak 24 in. diam. in the line
 80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
 an Ironwood 6 in. diam. bray S62 E 12 lks. dist. of
 a Do. 5 " " " N55 W 19 " "
 Over low wet 3^d. rate land, timber Maple, Oak,
 Elm, & Hickory.

West Between Sec. 6 & 7, T3N R7E.

S. N. 127 E. 2^d Mer. Indiana

403

ch. 2. 167

- 18.00 a Brook 20 lks. wide Course N.W.
 40.00 Set q^r. Sec. post, from which
 an Elm 7 in. diam. bears S 33 E 12 lks. dist. of
 a P. Walnut 30 " " " N 54 E 21 "
 Over low flat land 3^d rate timber Beech, Oak
 Gum and Elm.
 48.50 a Creek 70 lks. wide Course N.W.
 72.50 a P. Gum 18 in. diam. in the line
 80.00 Intersected N. boundary 340 lks. N. of post
 Set post cor. to Sec. 6 & 7, from which
 a W. Oak 20 in. diam. bears N 41 E 10 lks. dist. of
 a Hickory 18 " " " S 43 W 14 " "
 Over low flat 3^d rate land, timber Gum, Oak
 Beech, Hickory, thick underg^r.

East On Rand. between Sec. 5 & 8

27.00 a Brook 6 lks. wide Course S.
 40.00 Set temp. q^r. Sec. post

- Over rolling 2^d rate land, Beech, Oak & Poplar
 52.50 a Brook 15 lks. wide Course S.
 80.84 Intersected the N. & S. line 26 lks. S. of post
 Over level 2^d rate land timber Beech & Poplar—

West Corrected between Sec. 5 & 8.

- 40.14 Set q^r. Sec. post, at average dist. from which
 a Beech 15 in. dia. bears N 1 E 15 lks. dist. of
 a No. 4 " " " S 59 E 18 " "
 80.84 to Section Corner

East On Random between Sec. 4 & 9

- 3.60 a Brook 6 lks. wide Course S.
 40.00 Set temp. q^r. Sec. post. Over level 1st rate land
 timber Beech and Poplar
 50.00 a Brook 20 lks. wide Course S.
 60.25 a Creek 15 " " " S. W.

404

S. N. R. E. 2^d. Mer. IndianaCh. 6th.

80.10 Intersected the N. & S. line 14 lks. N. of post, Over rolling 2nd. rate land, timber Beech and Poplar

West Corrected between Sec. 4 & 9.

40.05 Set q. Sec. post, at average dist. from which
a Beech 12 in dia. bears N 55 W 20 lks. dist. &
a Do. 30 " " " S 54 E 8 " "

80.10 to Section Corner. January 24th. 1807

East On Random between Sec. 3 & 10.

1.15 a Brook 4 lks. wide Course S. E.

10.00 a Do. 8 " " " S. W.

40.00 Set temp. q. Sec. post, Over rolling 2nd. rate land
timber Beech and poplar

48.10 a Brook 15 lks. wide Course S. W.

80.50 Intersected the N. & S. line 17 lks. N. of post.
Over level 2nd. rate land timber Beech Poplar ash
thick undergrowth of Spice and green briars.

West Corrected between Sec. 3 & 10.

40.25 Set q. Sec. post, at average dist. from which
a Beech 20 in. dia. bears S 4 W 21 lks. dist. &
a Poplar 8 " " " N 5 W 29 " "

80.50 to Section Corner. January 26th. 1807

East On Random between Sec. 2 & 11.

7.00 a Brook 20 lks. wide Course S. W.

37.00 a Do. 15 " " " S.

40.00 Set temp. q. Sec. post, Over rolling 2nd. rate land
timber Beech and Poplar.

53.50 a Brook 8 lks. wide Course S.

79.80 Intersected the N. & S. line 70 lks. N. of post.
Over rolling 2nd. rate land Beech and Poplar Spice
for undergrowth.

405

S. N. R. E. 2nd Mer. Indiana

ch. lks.

West Corrected between Sec. 2, 4, 11.

- 39.90 Set q. Sec. post. at average dist. from which
 a Beech 15 in. dia. bears S 18 W 11 lks. dist. &
 a No. 18 " " " N 14 E 21 " "
 79.80 to Section Corner.

East On Random between Sec. 1 & 12.

- 1.00 a Brook 20 lks. wide Course S. W.
 23.50 a No. 10 " " " S.
 40.00 Set temp. q. Sec. post. Over rolling 2nd rate
 land timber Beech and Poplar
 51.50 a Brook 6 lks. wide Course S.
 80.10 Intersected the E. boundary 25 lks. N. of post.
 Over level 2nd rate land timber Beech, Oak, & Poplar.

West Corrected between Sec. 1, 12.

- 40.05 Set q. Sec. post. at average dist. from which
 a Gum 10 in. dia. bears S 55 W 23 lks. dist. &
 a Beech 8 " " " N 60 E 14 " "
 80.10 to Section Corner

North Between Sec. 1 & 2.

- 29.50 a Beech 18 in. dia. in the line
 40.00 Set q. Sec. post. from which
 a Beech 8 in. dia. bears S 48 E 11 lks. dist. &
 a No. 5 " " " N 29 W 24 " "
 60.60 a Brook 12 lks. wide Course S. W.
 68.50 a Beech 18 in. dia. in the line
 78.00 Intersected the N. boundary 75 lks. E. of post.
 Set post Cor to Sec. 1 & 2, from which
 a Beech 15 in. dia. bears N 12 W 15 lks. dist. &
 a Dogwood 4 " " " S 50 W 20 " "
 first half over rolling 2nd rate land timber Beech
 Oak and Poplar— on last half the same—

North Between Sec. 2 & 3.

T. N. Ry E. D. Mer. Indiana

ch. lks.

- 37.45 a Beech 18 in. dia. in the line
 40.00 Set q. Sec. post, from which
 a Poplar 6 in. dia. bears S 72 E 17 lks. dist. &
 a Beech 18 " " " N 50 W 17 " "
 Over level 2nd rate land timber Beech Poplar & ash
 42.50 a Stone Cole bank in the line in the bank of a Brook
 & lks. wide course S. W.
 64.60 a Brook 6 lks. wide course W.
 73.65 a Beech 12 in. dia. in the line
 77.55 Intersected the N. boundary 1.15 lks. E. of post.
 Set a post Cor. to Sec. 2 & 3, from which
 a Beech 9 in. dia. bears S 36 E 27 lks. dist. &
 a No. 6 " " " N 16 W 7 " "
 this Over uneven 2nd rate land timber Beech
 and Poplar—

North Between Sec. 3 & 4.

- 12.50 a Brook 8 lks. wide Course S. E.
 21.00 a Sugar tree 30 in. dia. in the line
 40.00 Set q. Sec. post, from which
 a Beech 12 in. dia. bears N 53 W 41 lks. dist. &
 a No. 24 " " " S 7 E 25 " "
 Over level 2nd rate land timber Beech, Oak, Poplar,
 77.20 Intersected the N. boundary 74 lks. E. of post.
 Set a post, Cor. to Sec. 3, & 4, from which
 a Beech 10 in. dia. bears S 10 E 17 lks. dist. &
 a No. 15 " " " S 84 E 10 " "
 Over level 2nd rate land timber Beech & Poplar

North Between Sec. 4 & 5.

- 1.05 a Beech 18 in. dia. in the line
 40.00 Set q. Sec. post, from which
 a Beech 10 in. dia. bears N 22 E 8 lks. dist. &
 a W. Oak 12 " " " S 9 E 40 " "
 Over level flat 3rd rate land timber Beech Oak
 and Elm thick undergrowth of Briers

407

T³N-R⁷E, 2^d Mer, Indiana

ch. lks.

44.70 a Poplar 36 in. dia. in the line
 77.00 Intersected the N. boundary 76 lks. E. of post.
 Set a post. Cor. to Sec. 4 & 5, from which
 an Elm 15 in dia. bears N 6 W 4 lks. dist. &
 a Beech 6 " " " S 50 E 6 " "
 this Over level 2nd rate land timber, Beech and Poplar

North Between Sec. 5 & 6.

22.50 a Brook 12 lks. wide Course W.
 37.30 a Beech 15 in. dia. in the line
 37.60 a Brook 6 lks. wide Course S. E.
 40.00 Set of. Sec. post, from which
 a Beech 12 in. dia. bears N 66 E 12 lks. dist. &
 a Do. 8 " " " S 42 W 16 " "
 Over rolling 2nd rate land timber Beech Oak & Poplar
 77.35 Intersected the N. boundary 5 lks. W. of post
 Set a post Cor to Sec. 5 & 6. from which
 a Beech 18 in. dia. bears S. 13 E. 18 lks. dist. &
 a Do 15 " " " S 87 E 10 " "
 this Over level 2nd rate land timber Beech & Poplar

January 26th 1807.

Alexander Enos, Dep. Sur

Comp

I Certify that the foregoing transcript of field
 notes of Township N. 3. N. Range N. 7 East 2^d
 Mer. Indiana, has been compared with the
 Original notes in this office and found to be
 Correct

Surveyor General's Office

Cincinnati, Sept. 8th 1842

William Johnston
 Sur. Gen.